


# fMRI Course, Day 12: Introduction to Open Science and BIDS

August 11<sup>th</sup>, 2022



# Review of Kriegeskorte Supplementary Material

# Questions

**What are three types of multiple comparisons correction?**

**What is the summary statistic approach?**

**What is an example of a circular analysis?**

**Why is it widely recommended to use a CDT of  $p=0.001$ ?**

# Questions

**What does permutation thresholding do for parametric (i.e., continuous) regressors?**

**What can we do to improve between-subjects inferences (brain-individual differences associations)?**


**Are mass univariate analyses potentially less appropriate than previously thought?**

**How to address large, contiguous, undifferentiated clusters, even after you have increased alpha to break them up?**


**Statistics:** *p-values adjusted for search volume*

set-level		cluster-level				peak-level					mm mm mm		
$p$	$c$	$p_{\text{FWE-corr}}$	$q_{\text{FDR-corr}}$	$k_E$	$p_{\text{uncorr}}$	$p_{\text{FWE-corr}}$	$q_{\text{FDR-corr}}$	$T$	$(Z_E)$	$p_{\text{uncorr}}$			
0.846	5	0.026	0.024	198	0.000	0.716	0.996	4.00	3.94	0.000	-39	-73	-22
						1.000	0.996	3.26	3.23	0.001	-42	-52	-19
						1.000	0.996	3.24	3.20	0.001	-27	-70	-16
		0.537	0.175	85	0.011	0.912	0.996	3.79	3.74	0.000	42	-40	-19
						1.000	0.996	3.12	3.09	0.001	48	-52	-25
						0.999	0.794	31	0.102	0.998	0.996	3.48	3.44
		0.489	0.175	89	0.010	1.000	0.996	3.26	3.22	0.001	24	-1	65
						1.000	0.996	2.91	2.89	0.002	33	2	50
						1.000	0.996	2.89	2.86	0.002	30	-7	50
		0.105	0.050	146	0.002	1.000	0.996	3.24	3.20	0.001	9	14	32
1.000	0.996					3.11	3.08	0.001	0	29	26		
1.000	0.996					3.04	3.01	0.001	-3	20	71		

Andy's Brain




Template Brain




Warped to

=


Andy's Warped Brain



Andy's Warped Brain  
(Standardized space)



Andy's Unwarped Brain  
(Native space)



**Reverse Normalization**

# Reverse Normalization of fMRI Data

May 13, 2017


The screenshot displays the AFNI (Analysis of Functional NeuroImages) software interface. At the top, the title bar reads "Reverse Normalization of fMRI Data". The main window is divided into several sections:

- Terminal Window (Right):** Shows the command prompt for user Andrew. The command `ls` is executed, listing files in the directory `~/Volumes/STARK/ROI_warp_Demo`. The output shows two datasets: `anat_final.tb4771+tlrc` and `leftACC_standardized+tlrc`. The command `afni` is then executed, displaying the version `AFNI_17.0.18` and the number of datasets `2`. The command `afni` is also used to view the datasets, showing the input file `anat_final.tb4771+tlrc` and the output `2 datasets`. The command `afni` is also used to view the datasets, showing the input file `anat_final.tb4771+tlrc` and the output `2 datasets`. The command `afni` is also used to view the datasets, showing the input file `anat_final.tb4771+tlrc` and the output `2 datasets`.
- Control Panel (Left):** Contains various options for viewing and processing the data. It includes a section for "Original View" with options for "AC-PC Aligned" and "Talairach View". There are buttons for "Define Overlay", "Define Datamode", "DataDir", "Switch", "Read", "UnderLay", "EditEnv", "OverLay", "NIML+PO", and "Control Surface". There are also buttons for "New", "Etc->", "BHelp", and "done".
- Central Display Area:** Shows a color scale for the overlay, ranging from 0.0000 to 1.000. There are buttons for "Clusterize", "Setup ICorr", and "InstaCorr". There are also buttons for "Clear", "Rpt", and "NOT Ready". There are also buttons for "ULay", "OLay", and "Thr". There are also buttons for "autoRange", "1", and "%". There are also buttons for "32", "Rota", and "F". There are also buttons for "See TT Atlas Regions".

At the bottom of the screenshot, there is a video player interface showing three brain slices. The video player has a progress bar at 3:52 / 5:49. The video player also has a "ALTRI VIDEO" button and a "YouTube" logo. The video player also has a "View" button and a "View" button. The video player also has a "View" button and a "View" button.




# Surface-based analysis with FreeSurfer



Why use it?



Why use it?



Why use it?


## Problems with Voxels




## Problems with voxels




## Problems with voxels



## Problems with voxels




## Problems with voxels





## Problems with voxels




Is voxel active  
because of **region A**,  
**region B**, or both?

This problem is known as the **partial  
voluming effect**

## Problems with voxels

In this  
voxel...



## Problems with voxels

In this  
voxel...

How much  
grey matter?



## Problems with voxels

In this  
voxel...

How much  
grey matter?

How much  
white matter?




## Problems with voxels

In this  
voxel...

How much  
grey matter?


How much  
white matter?


How much  
CSF?







# Overview of FreeSurfer
















Vertex (pl. vertices)



Vertex (pl. vertices)

Edge




Volume

Thickness

Area



Curvature




# Why use it?

Most sophisticated and widely-used morphometry software available

fMRI activation follows cortical surface



# Volume-based Smoothing




- 5 mm apart in 3D
- 25 mm apart on surface!
- Kernel much larger
- Averaging with other tissue types (WM, CSF)
- Averaging with other functional areas

Slide from FreeSurfer




wm\_rh\_G\_front\_sup  
(I,B)Inc-Con\_mean=0.204 (T)Inc-Con\_Tstat=5.079

## Surface



## Volumetric

Peak t-statistic = 4.44



Disp. Cont. Close BHelp WHelp All Objs. Switch std.141.rh.inf\_200.gii

Surface Properties  
std.141.rh.pial.gii  
198812 nodes: 397620 tri. more

Drw Viewer Trn Vwr Dsets

Xhair Info  
Xhr [-3,2821, -16,042, 52,6822]  
Node [92289] [-3,2747, -16,347, 5]  
Tri [183070] [92164, 92289, 92165]  
Intens Thresh Bright  
Val [0,16998] [3,85521] [0,16998]  
Lbl [wm\_rh\_G\_front\_sup\*(I,B)Inc]

Dset Controls  
Lbl [Flanker\_Inc-Con\_ttest.rh.ni]  
Par [std.141.rh.smoothwm.gii]  
Ord [0] Opa [1.0]  
Dim [0.8] Dsp Col [1]

Switch Dset Load Dset Load Col


Dset Mapping  
3.73 IxT Stat  
I 0: Inc-Con\_m v  
T 1: Inc-Con\_T v  
B 0: Inc-Con\_m v

Min Max  
I [-1.29165] [1.291654]  
B [-1.15715] [1.291654]  
C [0] [10]  
Col Int Bias -  
Cmp Spectrum: New

p=9.9-4  
q=.0277

IT sym I shw 0  
Conn Area  
Clst [-1] [110]

Min Node Max Node  
I [-1,157] [32620] [1,2916] [10533]  
T [-3,835] [14340] [6,7275] [118906]  
B [-1,157] [32620] [1,2916] [10533]



AAAAAAAAAAAAAAAAAAAAAAAAAAAA

SUMA\_FindClusters: Have 5403 nodes to work with. 0 nodes have 0 value.

Interactive Clustering Output:

#Command history:



#SurfClust -i suma\_MNI\_N27/./std.141.rh.smoothwm.gii -input ./Flanker\_Inc-Con\_ttest.rh.niml.dset 0 -rmm -1.000000 -thresh\_col 1 -athresh 3.730000 -amm2 110.000000 -sc

#	Rank	num Nd	Area	Mean	I Mean	Cent	W Cent	Min V	Min Nd	Max V	Max Nd	Var	SEM	Min IVI	I Min  Nd	Ma
1	593	302.64	0.248	0.248	0	0	0.156	119194	0.332	118443	0.002	0.002	0.156	119194	(	
2	276	177.56	0.243	0.243	0	0	0.181	66554	0.319	67697	0.001	0.002	0.181	66554	(	
3	310	168.21	0.210	0.210	0	0	0.142	81881	0.301	73563	0.001	0.002	0.142	81881	(	
4	313	145.33	0.173	0.173	0	0	0.110	95944	0.237	95932	0.001	0.001	0.110	95944	(	
5	181	134.99	0.241	0.241	0	0	0.160	163637	0.291	162612	0.001	0.002	0.160	163637	(	
6	345	130.80	0.210	0.210	0	0	0.130	785	0.290	47993	0.001	0.002	0.130	785	(	
7	216	130.64	0.230	0.230	0	0	0.134	151374	0.345	152365	0.002	0.003	0.134	151374	(	
8	197	118.21	0.197	0.197	0	0	0.128	92036	0.289	91660	0.001	0.003	0.128	92036	(	

vvvvvvvvvvvvvvvvvvvvvvvvvvvv

Selected surface std.141.rh.pial.gii (Focus\_DO\_ID # 2).

FaceSet 183070, Closest Node 92289



# Getting Started with FreeSurfer

Docs » AFNI Overview [Edit on GitHub](#)


---

## AFNI Overview

---

### What is AFNI?

AFNI (Analysis of Functional NeuroImages) is a suite of programs designed to analyze fMRI data. Created in the mid-1990's by [Bob Cox](#), AFNI is now used by hundreds of imaging labs around the world.



The following tutorials will show you how to analyze a sample dataset with AFNI. You will begin by learning the fundamentals of fMRI preprocessing, and then proceed to create a model of your data with AFNI's 3dDeconvolve command. We will finish by learning about different types of group analyses, and how to do region of interest (ROI) analyses.

### Start to Finish Analysis with AFNI

- [Introduction to AFNI](#)
- [AFNI Tutorial #1: Downloading the Data](#)
- [AFNI Tutorial #2: The Flanker Experiment](#)
- [AFNI Tutorial #3: Looking at the Data](#)
- [AFNI Tutorial #4: AFNI Commands and Preprocessing](#)
- [AFNI Tutorial #5: Statistics and Modeling](#)
- [AFNI Tutorial #6: Scripting](#)
- [AFNI Tutorial #7: Group Analysis](#)
- [AFNI Tutorial #8: ROI Analysis](#)
- [AFNI Tutorial #9: Surface-Based Analysis with SUMA](#)
- [Appendix A: Parametric Modulation in AFNI](#)


Docs » FreeSurfer Short Course [Edit on GitHub](#)

---

## FreeSurfer Short Course

### Overview

FreeSurfer is a software package that enables you to analyze **structural MRI** images - in other words, you can use FreeSurfer to quantify the amount of grey matter and white matter in specific regions of the brain. You will also be able to calculate measurements such as the thickness, curvature, and volume of the different tissue types, and be able to correlate these with covariates; or, you can contrast these structural measurements between groups.



An example of a typical group-level map created by FreeSurfer. This is from a group-level contrast between two groups, with the red and blue colors indicating where there are differences in cortical thickness between the groups. Typically these results are depicted on inflated brains; darker grey represents sulci, and lighter grey represents gyri.

This course will show you how to download and install FreeSurfer, and how to analyze a dataset from start to finish. Along the way you'll learn the basic FreeSurfer vocabulary and how to do preprocessing, volume editing, and region of interest analysis.

### Start to Finish Analysis with FreeSurfer

- [FreeSurfer Tutorial #1: Basic Terms](#)
- [FreeSurfer Tutorial #2: How to Download and Install](#)
- [FreeSurfer Tutorial #3: Recon-all](#)

**Questions?**

# Introduction to Meta-Analysis

# Combining Results from Different Studies

## Karl Pearson (1904)

### REPORT ON CERTAIN ENTERIC FEVER INOCULATION STATISTICS.

PROVIDED BY LIEUTENANT-COLONEL R. J. S. SIMPSON, C.M.G.,  
R.A.M.C.

BY KARL PEARSON, F.R.S.,  
Professor of Applied Mathematics, University College, London.

The following table gives the results of calculating the correlation coefficients of the tables in Appendix B :

INOCULATION AGAINST ENTERIC FEVER:			
<i>Correlation between Immunity and Inoculation.</i>			
I. Hospital Staffs ...	...	+ 0.373	± 0.021
II. Ladysmith Garrison ...	...	+ 0.445	± 0.017
III. Methuen's Column ...	...	+ 0.191	± 0.026
IV. Single Regiments ...	...	+ 0.021	± 0.033
V. Army in India ...	...	+ 0.100	± 0.013
Mean value ...	...	+ 0.226	
<i>Correlation between Mortality and Inoculation.</i>			
VI. Hospital Staffs ...	...	+ 0.307	± 0.128
VII. Ladysmith Garrison ...	...	- 0.010	± 0.081
VIII. Single Regiments ...	...	+ 0.300	± 0.091
IX. Special Hospitals ...	...	+ 0.119	± 0.022
X. Various military Hospitals ...	...	+ 0.194	± 0.022
XI. Army in India ...	...	+ 0.248	± 0.030
Mean value ...	...	+ 0.193	

If we except IV and VII, the values of the correlations are at least twice (in the very sparse data of VI) and generally four, five, or more times their probable errors. From this standpoint we might say that they are all significant, but we are at once struck with the extreme irregularity and the lowness of the values reached. They are absolutely incomparable with the fairly steady and large values of the vaccination correlations obtained for different epidemics and towns. The effect of enteric inoculation is evidently largely influenced by difference of environment or of treatment.


For example, taking the relation between deaths and recoveries, and presence and absence of vaccination scar in cases of small-pox, we have :<sup>2</sup>

	Correlation.
Metropolitan Asylums Board Returns,	
Epidemic 1893 ...	0.595 ± 0.027
Epidemics for six towns ...	0.656 ± 0.009
Sheffield, 1887-8 ...	0.769 ± 0.012
Homerton and Fulham, 1873-85 ...	0.576 ± 0.009
London: Epidemic 1901 ...	0.578 ± 0.031
Glasgow: Epidemic 1900-1 ...	0.629 ± 0.030

We may safely say that the protective character of vaccination as against mortality after incurring small-pox is very substantial, and numerically it is represented by the value 0.6, which is fairly closely the actual result for the various epidemics which have at present been dealt with.

# Meta-analysis and Neuroimaging Studies

## Activation Likelihood Estimation (ALE), Turkeltaub et al., 2002)





# How to use this?

**One option: BrainMap**

**Contains links to Sleuth and GingerALE software**

**Can also enter coordinates to see where other papers  
also report activation**



## Announcements

March 4, 2021: The BrainMap database is now back up after maintenance this morning. Thank you for your patience.

## What is BrainMap?

BrainMap is a database of published functional and structural neuroimaging experiments with coordinate-based results (x,y,z) in Talairach or MNI space. The goal of BrainMap is to develop [software](#) and [tools](#) to share neuroimaging results and enable meta-analysis of studies of human brain function and structure in healthy and diseased subjects.

The BrainMap Project is developed at the [Research Imaging Institute](#) of the [University of Texas Health Science Center San Antonio](#). BrainMap was conceived in 1988 and originally developed as a web-based interface. After more than 20 years of development, BrainMap has evolved into a much broader project whose software and data have been utilized in numerous [publications](#). BrainMap provides not only data for meta-analyses and data mining, but also distributes software and concepts for quantitative integration of neuroimaging data.

## Collaborations

The BrainMap development team welcomes [collaborations](#). We will provide guidance and assistance in the execution of meta-analyses upon request. We encourage collaborations that develop new tools for meta-analysis or use BrainMap data to develop or validate other neuroinformatics tools and strategies.

## BrainMap ICA Results

Networks resulting from an ICA decomposition of modeled activation images archived in BrainMap strongly correspond to resting state networks, as shown by [Smith et al., 2009](#). Given the vast amount of metadata archived in BrainMap, the functional significance of these intrinsic connectivity networks was quantitatively assessed by [Laird et al. \(2011\)](#). For more details, and the associated network images and metadata at a model order of 20, please click [here](#).

## Citing BrainMap

If you have used the BrainMap database in your research, please cite one or more of the following papers in your references.

For citations concerning Sleuth, Scribe, and BrainMap meta-data:

Fox PT, Lancaster JL. Mapping context and content: The BrainMap model. *Nature Rev Neurosci* 3, 319-321, 2002. [[pdf](#)] [[PubMed](#)]

and

Fox PT, Laird AR, Fox SP, Fox PM, Uecker AM, Crank M, Koenig SF, Lancaster JL. BrainMap taxonomy of experimental design: Description and evaluation. *Hum Brain Mapp* 25, 185-198, 2005. [[pdf](#)] [[PubMed](#)]

### BrainMap Forums

Have a question? Check our forums!

- [brainmap.org/forum](#)

Find a previous answer or ask the experts yourself

### Quick Author Search

Want to check if a paper is already in the BrainMap database? Just type in the author's last name below:

### Activation Coordinate Experiment-wise Search (ACES)

Upload a tab-delimited file of locations to find which BrainMap experiments are most similar:

 myCoords

Reference space:  Talairach  MNI

Find similar experiments:


### Functional Database Status


Papers: 3783  
Experiments: 19137  
Paradigm Classes: 115  
Subjects: 89644  
Locations: 147765

### VBM Database Status

Papers: 1130  
Experiments: 3661  
Subjects: 99098  
Locations: 24979

### Current Software Versions





## Activation Coordinate Experiment-wise Search (ACES)

Searching for experiments similar to 1 coordinates...

Top 10 experiments:

BrainMap ID	Exp. Size	Coordinates Matching	Coordinate Similarity
10010002 5 <u>Name:</u> Healthy Controls > Major Depression	2	1	100%
10010003 5 <u>Name:</u> Healthy Controls > Depressed Patients	2	1	100%
10080202 2 <u>Name:</u> Errors > Successful Inhibitions	8	1	100%
7120389 2 <u>Name:</u> Allodynia vs. Contralateral Touch, Right-Sided Allodynia Patients	14	.9	92%
8050127 4 <u>Name:</u> Win \$4.00 > Win \$0.50, All Subjects	19	.9	92%
9020032 3 <u>Name:</u> Regions Positively Associated with Speechreading Skill, Deaf Patients	10	.9	92%
10080181 4 <u>Name:</u> Tics in Tourette's > Normals at Rest, Random Effect Analysis	13	.9	92%
7090249 1 <u>Name:</u> CS+ > CS-, Acquisition	6	.9	88%
14050049 5 <u>Name:</u> STROOP, Autism Group	9	.8	84%
5080219 1 <u>Name:</u> Pathological Gamblers, Incongruent vs. Congruent, Activations	9	.8	81%

# GingerALE


Enter set of coordinates

Uses Clustering to find significant overlap between foci

```
myCoords v
// Reference=Talairach
// Hui, 2000: Acupuncture vs. Tactile Stimulation, Increases
// Subjects=13
0      20      30
56     -15     50
-50    -18     43
59     -21     21
-50    -18     18
```

# GingerALE

GingerALE: myCoords



**GingerALE**

**Input Data**

Single Dataset  Contrast Datasets

Coordinate System

Foci

57 Foci, 4 Experiments

**Settings**

P Value

Min. Volume (mm<sup>3</sup>)

**Output Files**

Output Name Prefix

[AJu AFNI: ajahn/aglobal/MNI\_avg152T1+tlrc & myCoords\_Z.nii+tlrc]

[order: RAI=DICOM]  
x = 0.000 mm  
y = -20.000 mm [A]  
z = 30.000 mm [S]

Xhairs Multi  X+  
Color green   
Gap 5  Wrap   
Index

Axial    
Sagittal    
Coronal

New   
BHelp

Original View  
AC-PC Aligned  
Talairach View

See OverLay

Define Datamode ->  
DataDir

AFNI News   
AFNI Tips

Thr   Olay

ULay #0 MINC[0]   
OLay #0 ?   
Thr #0 ?

ULay 0: 0.811765  
OLay 0: 9.127749  
Thr 0: 9.127749

autoRange: 9.127749  %

See TT Atlas Regions

p=1 # \*\*  ULay = 0.419608  
q=N/A  Pos?   
10^1  Thr = ?

[AJu AFNI: ajahn/aglobal/MNI\_avg152T1+tlrc & myCoords\_Z.nii+tlrc] [AJu AFNI: ajahn/aglob]

menu

----Choose One----

Overlay

myCoords_ALE.nii	[abuc:1]
myCoords_C01_1k_ALE.nii	[abuc:1]
myCoords_C01_1k_clust.nii	[abuc:1]
myCoords_C05_1k_ALE.nii	[abuc:1]
myCoords_C05_1k_clust.nii	[abuc:1]
myCoords_C05_200_ALE.nii	[abuc:1]
myCoords_C05_200_clust.nii	[abuc:1]
myCoords_P.nii	[abuc:1]
myCoords_p05_ALE.nii	[abuc:1]
myCoords_p05_clust.nii	[abuc:1]
myCoords_Z.nii	[fbuc:1]
MNI_avg152T1	[anat]zG
MNI152_2009_template.nii.gz	[abuc:1]zG

45


# GingerALE

**You can also create contrast maps to visualize the overlap and divergence of two meta-analyses**

**Requires performing two separate ALE analyses, as well as a pooled analysis (i.e., merging the two)**

# GingerALE

GingerALE

 GingerALE

Input Data

Single Study  Contrast Studies

Coordinate System

Data Set 1   
1634 Foci, 93 Experiments, 51560 mm<sup>3</sup>

Data Set 2   
1392 Foci, 78 Experiments, 32376 mm<sup>3</sup>

Pooled Data Sets   
2743 Foci, 156 Experiments, 107984 mm<sup>3</sup>

Settings

FDR pN

P Value Permutations

Min. Volume (mm<sup>3</sup>)

Output Files

Data Set 1 Output Name

Data Set 2 Output Name

Ready...



# GingerALE

**Advantages: Helps build intuition about how meta-analyses are conducted**

**Disadvantages: Can be tedious, even with auxiliary software (e.g., Sleuth)**

**Is there any way to automate this?**


# Neurosynth

## How it works: Search Terms

pain Search for another term:

An automated meta-analysis of 516 studies

[Maps](#) [Studies](#) [FAQs](#)



z-score: 13.85 What's here?

X:  Y:  Z:

Layers

<input checked="" type="checkbox"/>	pain: association test	<input type="checkbox"/>	<input type="checkbox"/>
<input checked="" type="checkbox"/>	pain: uniformity test	<input type="checkbox"/>	<input type="checkbox"/>
<input checked="" type="checkbox"/>	anatomical	<input type="checkbox"/>	<input type="checkbox"/>

Color palette:

Positive/Negative:

Thresholds:

Opacity:

Crosshairs  
 Pan/zoom  
 Labels

# Neurosynth


## Association vs. Uniformity Tests

Downloading the Maps to use for ROI analysis

# Neurosynth

## Other uses of Neurosynth

### Functional Connectivity Analysis



**Neurosynth**


**Demonstration**

# Neurosynth


Proper ways for using Neurosynth

Lieberman & Eisenberger 2015

A




B



Search Term:  
dACC

C



Search Term:  
Anterior Cingulate

# Forward Inference

PAIN



Pain




Painful




Noxious


EXECUTIVE




Executive



Working Memory



Effort



Cognitive Control



Cognitive




Control


CONFLICT



Conflict



Error




Inhibition



Stop Signal



Stroop



Motor


SALIENCE




Salience



Detection



Task Relevant



Auditory




Tactile







Visual



# Reverse Inference




# A dACC Reverse Inference




Z>3.1, p<.001

# Reverse Inference




# Wager et al. Rebuttal

Lieberman and Eisenberger's (1) conclusions are based on [Neurosynth.org](http://Neurosynth.org) (7), a database of activation coordinates and words used in >11,000 neuroimaging studies. The claim of pain selectivity is based on a statistical preference in dACC activation studies for the use of pain-related words, compared with a modest number of alternatives (e.g., "salience"). Neurosynth analyses are based on word frequencies in published papers. They may not reflect the actual processes studied, and are not linked specifically to particular brain locations. They are subject to biases in how different literatures use words and label brain areas (e.g., "salience" has multiple meanings, and dACC is also called anterior mid-cingulate cortex). Neurosynth is useful for exploring structure-to-function mappings across a large literature, but it cannot provide definitive inferences about specific brain regions.



# Lieberman et al. Response







# Thoughts?

**What about a within-subjects study comparing pain and cognitive effects?**

**This should be the preferred method for making region-specific claims**



# Neuroquery demo



# Reproducing Results from Psychology Studies

## Present Day

### RESEARCH ARTICLE

## Estimating the reproducibility of psychological science

Open Science Collaboration<sup>\*,†</sup>

+ See all authors and affiliations


Science 28 Aug 2015:  
Vol. 349, Issue 6251, aac4716  
DOI: 10.1126/science.aac4716

## This should be great, right?


### RESULTS

We conducted replications of 100 experimental and correlational studies published in three psychology journals using high-powered designs and original materials when available. There is no single standard for evaluating replication success. Here, we evaluated reproducibility using significance and *P* values, effect sizes, subjective assessments of replication teams, and meta-analysis of effect sizes. The mean effect size (*r*) of the replication effects ( $M_r = 0.197$ ,  $SD = 0.257$ ) was half the magnitude of the mean effect size of the original effects ( $M_r = 0.403$ ,  $SD = 0.188$ ), representing a substantial decline. Ninety-seven percent of original studies had significant results ( $P < .05$ ). Thirty-six percent of replications had significant results; 47% of

# Reproducing Results from Psychology Studies



# Reproducing Results from Psychology Studies





# Reproducing Results from Psychology Studies

Why does this happen?

We discussed some of this on Tuesday  
(circular analyses, file-drawer problem, etc.)


Another issue is “p-hacking”, trying to obtain a significant result by continuing to run analyses

# Reproducing Results from Psychology Studies



# John Ioannides' 2005 Paper

**PLOS MEDICINE**

 OPEN ACCESS

ESSAY

## Why Most Published Research Findings Are False

John P. A. Ioannidis

Published: August 30, 2005 • <https://doi.org/10.1371/journal.pmed.0020124>

**Like we discussed previously, controlling for Type I Error rates isn't enough to guarantee that results are real**

## **John Ioannides' 2005 Paper**

**The crux of the paper rests on a formula called  
Positive Predictive Value (PPV)**

**PPV is the number of true positives, divided by  
the number of rejected tests**

## John Ioannides' 2005 Paper


Let  $R$  be the ratio of the number of “true relationships” to “no relationships” (i.e.,  $\#H_A/\#H_0$ )

Let  $\alpha$ =alpha level, and  $(1-\beta)$ =Power


$$PPV = \frac{R(1 - \beta)}{\alpha + R(1 - \beta)}$$




A



B



C




— n=1 — n=5 — n=10 — n=50


## John Ioannides' 2005 Paper

Lastly, let  $u$ =bias, the amount that a study is affected by biased practices (e.g., p-hacking); anything that tends to generate a positive results when it shouldn't


A



B



C



— u=0.05 — u=0.20 — u=0.50 — u=0.80

**Table 4.** PPV of Research Findings for Various Combinations of Power ( $1 - \beta$ ), Ratio of True to Not-True Relationships ( $R$ ), and Bias ( $u$ )

$1 - \beta$	$R$	$u$	Practical Example	PPV
0.80	1:1	0.10	Adequately powered RCT with little bias and 1:1 pre-study odds	0.85
0.95	2:1	0.30	Confirmatory meta-analysis of good-quality RCTs	0.85
0.80	1:3	0.40	Meta-analysis of small inconclusive studies	0.41
0.20	1:5	0.20	Underpowered, but well-performed phase I/II RCT	0.23
0.20	1:5	0.80	Underpowered, poorly performed phase I/II RCT	0.17
0.80	1:10	0.30	Adequately powered exploratory epidemiological study	0.20
0.20	1:10	0.30	Underpowered exploratory epidemiological study	0.12
0.20	1:1,000	0.80	Discovery-oriented exploratory research with massive testing	0.0010
0.20	1:1,000	0.20	As in previous example, but with more limited bias (more standardized)	0.0015

# Corollaries

# What can be done?

**Follow COBIDAS guidelines (Nichols et al., 2016)**

**Run appropriate power analyses (discussed on Monday)**

**Pre-register your experiment (to be discussed on Friday)**

**Standardize your analyses (to be discussed right now!)**

**Questions?**

# The Good Old Days

## Idiosyncratic labeling for data and folders

```
[ajahn:~/Desktop/myExp$ ls
1stAnalysis          preproc_NoSmooth_Nonlinear
2ndAnalysis          raw
FinalAnalysis        timings
FinalAnalysis_FINAL  timings_ScannerOffset
preproc
```



# What is BIDS?

## Standard for organizing imaging data

fMRI: resting state and arithmetic task

uploaded by Yana Panikratova on 2020-01-19 - 17 days ago  
last modified on 2020-01-20 - 17 days ago  
authored by Yana Panikratova, Alexander Tomyshev, Ekaterina Pechenkova, Roza Vlasova  
28 1831

Download

OpenNeuro Accession Number: ds002422  
Files: 785, Size: 5.65GB, Subjects: 46, Session: 1  
Available Tasks: arithm\_run-02, arithm\_run-01, rest  
Available Modalities: T1w, bold, events, fieldmap

README

AUTHORS

Yana Panikratova
Alexander Tomyshev
Ekaterina Pechenkova
Roza Vlasova

DATASET DOI

BIDS Validation

Valid

Dataset File Tree

- fMRI: resting state and arithmetic task
  - CHANGES
    - DOWNLOAD
    - VIEW
  - dataset\_description.json
    - DOWNLOAD
    - VIEW
  - T1w.json
    - DOWNLOAD
    - VIEW
  - sub-01
    - anat
      - sub-01\_T1w.nii
        - DOWNLOAD
        - VIEW
    - fmap
    - func
      - sub-01\_task-arithm\_run-01\_bold.json
        - DOWNLOAD
        - VIEW
      - sub-01\_task-arithm\_run-01\_bold.nii.gz
        - DOWNLOAD
        - VIEW

```
ajahn:~/Desktop$ ls Flanker/  
CHANGES sub-06 sub-17  
README sub-07 sub-18  
T1w.json sub-08 sub-19  
dataset_description.json sub-09 sub-20  
derivatives sub-10 sub-21  
participants.tsv sub-11 sub-22  
sub-01 sub-12 sub-23  
sub-02 sub-13 sub-24  
sub-03 sub-14 sub-25  
sub-04 sub-15 sub-26  
sub-05 sub-16 task-flanker_bold.json  
ajahn:~/Desktop$ ls Flanker/sub-01  
anat func  
ajahn:~/Desktop$ ls Flanker/sub-01/func  
sub-01_task-flanker_run-1_bold.nii.gz sub-01_task-flanker_run-2_bold.nii.gz  
sub-01_task-flanker_run-1_events.tsv sub-01_task-flanker_run-2_events.tsv  
ajahn:~/Desktop$ ls Flanker/sub-01/anat  
sub-01_T1w.nii.gz  
ajahn:~/Desktop$
```

# **Benefits of BIDS**

**1. Reproducibility and Data Sharing**

**2. Access to BIDS-apps (e.g., MRIQC, fMRIPrep)**

**3. Ability to share your own BIDS-apps**

# How to convert to BIDS?

## Stanford Center for Reproducible Neuroscience

### BIDS Tutorial Series: Introductory Walkthrough

📅 February 22, 2018


#### Introduction

Welcome to part 1A of the tutorial series “Getting Started with BIDS”. The tutorial series will introduce you to converting brain data into the BIDS organizational standard, provide an example of how to convert a dataset into BIDS (manually and an automated solution), and examine different off-the-shelf automated solutions. This tutorial will show a detailed step-by-step organizational guide to convert DICOMs into a BIDS validated dataset. The step-by-step guide will iteratively add one modality at a time until the full dataset is organized and validated. Even though performing the conversation manually is not expected we show it here for educational purposes. An automated solution is strongly recommended. An automated custom solution is discussed in the [next part of the tutorial series](#). Throughout this tutorial series portion, we will be using DICOMs from the [Nathan Kline Institute \(NKI\) Rockland Sample – Multiband Imaging Test-Retest Pilot Dataset](#). We will be following the specifications described in the [BIDS Specification version 1.0.2](#). If you are running into issues, please post your questions on [NeuroStars](#) with the bids tag. The next parts of this tutorial series will examine an automated custom solution and off-the-shelf solutions to consider using to convert your dataset into the BIDS standard.

Table of Contents

[A. Manual conversation](#)

# How to convert to BIDS?

A screenshot of a webpage titled "BIDS Overview and Tutorial". The page has a white background with a blue header bar. Below the header, there is a blue bar with a white circle containing an exclamation mark and the word "Note". The text below the note states: "This article was contributed by Daniel Levitas of the Perception and Neuroimaging Lab at Indiana University." Below this, there is a section titled "What is BIDS?" followed by a paragraph of text. At the bottom of the screenshot, there is a section titled "Benefits of BIDS".

**BIDS Overview and Tutorial**

**Note**

This article was contributed by [Daniel Levitas](#) of the Perception and Neuroimaging Lab at Indiana University.

**What is BIDS?**

BIDS (Brain Imaging Data Structure) is a standardized format for the organization and description of neuroimaging and corresponding behavioral data, which has been largely lacking within the neuroimaging community. More specifically, data that come off the scanner are converted to NIFTI and JSON files, organized into a specific directory schema, and labeled following a precise naming convention. The result is an organized dataset that can be easily shared and understood by other researchers.

**Benefits of BIDS**

Requires certain commands (pigz, dcm2bids, etc.)

Should work with most Macintosh and Unix operating systems

# How to convert to BIDS?

```
{
  "descriptions": [
    {
      "dataType": "anat",
      "modalityLabel": "T1w",
      "criteria": {
        "SidecarFilename": "002*"
      }
    },
    {
      "dataType": "fmap",
      "modalityLabel": "epi",
      "customLabels": "dir-AP",
      "IntendedFor": [
        4,
        6
      ],
      "criteria": {
        "SidecarFilename": "003*"
      }
    },
    {
      "dataType": "fmap",
      "modalityLabel": "epi",
      "customLabels": "dir-PA",
      "IntendedFor": [
        4,
        6
      ],
      "criteria": {
        "SidecarFilename": "004*"
      }
    }
  ]
}
```

**Datasets require a BIDS configuration file in .json format**

**Each run that is collected requires a different section of javascript**

# BIDS Validation

BIDS Validator v1.4.2

## Select a BIDS dataset to validate

No file chosen

Options:  Ignore Warnings  Ignore Nifti Headers

Note: Selecting a dataset only performs validation. Files are never uploaded.

## BIDS\_tutorial ×

### Summary

- 43 Files, 527.86MB
- 1 - Subject
- 1 - Session

### Available Tasks

- bart
- rest

### Available Modalities

- bold
- sbref
- dwi
- FLAIR
- T1w
- T2w
- fieldmap
- fieldmap

We found 2 Warnings in your dataset.

[view 2 warnings in 2 files](#)

[Download error log for BIDS\\_tutorial](#)

Click to view details on [BIDS specification](#)

If you have any questions please post on [Neurostars](#)

The source code for the validator can be found [here](#)

# One year ago...

Article | Published: 20 May 2020

## Variability in the analysis of a single neuroimaging dataset by many teams

Rotem Botvinik-Nezer, Felix Holzmeister, [...] Tom Schonberg [✉](#)





*Nature* 582, 84–88(2020) | [Cite this article](#)

24k Accesses | 9 Citations | 874 Altmetric | [Metrics](#)


### Abstract

Data analysis workflows in many scientific domains have become increasingly complex and flexible. Here we assess the effect of this flexibility on the results of functional magnetic resonance imaging by asking 70 independent teams to analyse the same dataset, testing the same 9 ex-ante hypotheses<sup>1</sup>. The flexibility of analytical approaches is exemplified by the fact that no two teams chose identical workflows to analyse the data. This flexibility resulted in sizeable variation in the results of hypothesis tests, even for teams whose statistical maps were highly correlated at intermediate stages of the analysis pipeline. Variation in reported results was related to several aspects of analysis methodology. **Notably, a meta-analytical approach that aggregated information across teams yielded a significant consensus in activated regions. Furthermore, prediction markets of researchers in the field revealed an overestimation of the likelihood of significant findings,** even by researchers with direct knowledge of the dataset<sup>2,3,4,5</sup>. Our findings show that analytical flexibility can have substantial effects on scientific conclusions, and identify factors that may be related to variability in the analysis of functional magnetic resonance imaging. The results


Hypothesis 1:  
Equal indifference + gain








**Peak t-statistic: 4.14**



**Peak t-statistic: 5.11**

# What is fMRIPrep?



# The Module

Docs » Open Science [Edit on GitHub](#)

---

## Open Science

---

This module contains chapters on different aspects of open science - method of sharing data that make analyses more transparent and reproducible.

We are looking for graduate students, postdocs, and other members of the Open Science community to contribute articles about how to perform different open science techniques. Although the articles are hosted on this site, full credit will be given to those who contribute their writing.

### Open Science Topics

- [BIDS Overview and Tutorial](#)
- [BIDS App Tutorial #1: MRIQC](#)
- [BIDS App Tutorial #2: fMRIPrep](#)
- [fMRIPrep Demonstration](#)

[← Previous](#) [Next →](#)

Docs » Open Science » fMRIPrep Demonstration [Edit on GitHub](#)

---

## fMRIPrep Demonstration

---

This module will demonstrate how to use fMRIPrep to analyze a publicly available dataset on [OpenNeuro.org](#). We will analyze the same dataset that we used for the [AFNI tutorial](#), and then compare the results. This will allow you to make an educated decision about what type of analysis pipeline is best for you.

### Open Science Topics

- [fMRIPrep Tutorial #1: Downloading the Data](#)
- [fMRIPrep Tutorial #2: Running the Analysis](#)
- [fMRIPrep Tutorial #3: Examining the Preprocessed Data](#)
- [fMRIPrep Tutorial #4: Additional Preprocessing Steps](#)
- [fMRIPrep Tutorial #5: Running the 1st-level Analysis](#)
- [fMRIPrep Tutorial #6: Group Analysis](#)

[← Previous](#) [Next →](#)

# **fMRIPrep Analysis Prerequisites**

**Requires Docker (or Singularity, on a supercomputing cluster)**

**Data needs to be in BIDS format**


# fMRI Prep Analysis Prerequisites

Brief detour: What is a container?



# Docker

Environment in which containers are run



```
#User inputs:
bids_root_dir=$HOME/Desktop/Flanker
subj=08
nthreads=4
mem=20 #gb
container=docker #docker or singularity

#Begin:

#Convert virtual memory from gb to mb
mem=`echo "${mem//[!0-9]/}"` #remove gb at end
mem_mb=`echo $(((mem*1000)-5000))` #reduce some memory for buffer space during pre-processing

export FS_LICENSE=$HOME/Desktop/Flanker/derivatives/license.txt

#Run fmriprep
if [ $container == singularity ]; then
    unset PYTHONPATH; singularity run -B $HOME/.cache/templateflow:/opt/templateflow $HOME/fmrip
    $bids_root_dir $bids_root_dir/derivatives \
    participant \
    --participant-label $subj \
    --skip-bids-validation \
    --md-only-boilerplate \
    --fs-license-file $HOME/Desktop/Flanker/derivatives/license.txt \
    --fs-no-reconall \
    --output-spaces MNI152NLin2009cAsym:res-2 \
    --nthreads $nthreads \
    --stop-on-first-crash \
    --mem_mb $mem_mb \
    -w $HOME
else
    fmriprep-docker $bids_root_dir $bids_root_dir/derivatives \
    participant \
    --participant-label $subj \
    --skip-bids-validation \
    --md-only-boilerplate \
    --fs-license-file $HOME/Desktop/Flanker/derivatives/license.txt \
    --fs-no-reconall \
    --output-spaces MNI152NLin2009cAsym:res-2 \
    --nthreads $nthreads \
    --stop-on-first-crash \
    --mem_mb $mem_mb \
    -w $HOME
fi
```

# fMRIPrep with other software (e.g., CONN)

The screenshot displays the CONN functional connectivity toolbox (version 20.1b) interface. The top menu bar includes 'Project', 'Tools', and 'Help'. The main workspace is divided into four stages: 'SETUP', 'DENOISING (1st-level)', 'ANALYSES (1st-level)', and 'RESULTS (2nd-level)'. The 'Project' menu is open, showing options like 'Open', 'Open Recent', 'New (blank)', 'New (import)', 'Save', 'Save As', and 'Close'. The 'New (import)' sub-menu is expanded, listing 'from DICOM data files', 'from SPM design files', 'from BIDS dataset', and 'from fMRIPrep dataset', which is currently selected. The main workspace shows a 'New' button and a grid of four brain connectivity diagrams. At the bottom, a status bar indicates 'Imports Setup information and functional/anatomical data from fMRIPREP-preprocessed dataset' and 'storage: 470.1Gb available (24%)'. Logos for MIT and BU are visible in the bottom right corner.



# Comparing 1st-level Results



# Comparing 2<sup>nd</sup>-level results

[A]u AFNI: ajahn/aglobal/MNI152\_2009\_template.nii.gz+tlrc & Flanker-Inc-Con+tlrc

[order: RAI-DICOM]  
 x = 7.000 mm [L]  
 y = -10.000 mm [A]  
 z = 53.000 mm [S]

Xhairs Multi  X+  
 Color green   
 Gap 5  Wrap   
 Index  0

Axial Image Graph  
 Sagittal Image Graph  
 Coronal Image Graph

New Etc-> AFNI AFNI News AFNI Forum  
 BHelp done AFNI Tips Prog Helps

Original View  
 AC-PC Aligned  
 Talairach View

Define Overlay ->  
 See Overlay

Define Datamode ->  
 DataDir Switch Read  
 UnderLay EditEnv  
 Overlay NIML+PO  
 Control Surface

Thr A B Olay Edit Olay InstaCorr   
 .3000  
 \*Clusterize Setup ICorr  
 Clear Rpt \*NOT Ready\*

Olay #0 SKoff   
 Olay #0 Inc-Con\_mean   
 Thr #1 Inc-Con\_Tstat

Olay 0: 1570  
 Olay -1.317532: 1.225972  
 Thr -3.997835: 7.459957

autoRange: 1.317532  %  
 0.3 Rota  A  F

See TT Atlas Regions

p=.0010\* #\*\* Ulay = 592  
 q=.0072 Olay = 0.205149  
 10^1 Pos? Thr = 3.705239

[A]u AFNI: ajahn/aglobal/MNI\_avg152T1+tlrc & Flanker\_Inc-Con\_test+tlrc

[order: RAI-DICOM]  
 x = 4.000 mm [L]  
 y = -12.000 mm [A]  
 z = 52.000 mm [S]

Xhairs Multi  X+  
 Color green   
 Gap 5  Wrap   
 Index  0

Axial Image Graph  
 Sagittal Image Graph  
 Coronal Image Graph

New Etc-> AFNI AFNI News AFNI Forum  
 BHelp done AFNI Tips Prog Helps

Original View  
 AC-PC Aligned  
 Talairach View

Define Overlay ->  
 See Overlay

Define Datamode ->  
 DataDir Switch Read  
 UnderLay EditEnv  
 Overlay NIML+PO  
 Control Surface

Thr A B Olay Edit Olay InstaCorr   
 6.733  
 \*Clusterize Setup ICorr  
 Clear Rpt \*NOT Ready\*



Olay #0 MINC[0]   
 Olay #1 Inc-Con\_Tstat   
 Thr #1 Inc-Con\_Tstat

Olay 0: 0.811765  
 Olay -5.397665: 6.732837  
 Thr -5.397665: 6.732837

autoRange: 6.732837  %  
 1 Rota  A  F

See TT Atlas Regions

p=.0010 #\*\* Ulay = 0.537255  
 q=.0449 Olay = 5.455512  
 10^1 Pos? Thr = 5.455512



# **More Advanced BIDS Options**

**Surface-based analysis**

**Unwarping**

**Still working on a web page for these more advanced options; stay tuned**

**Scott will now walk you through the output of fMRIPrep**

**Questions?**